ottobock.

7E9 Hip Joint.

Private Payer Coding Options[1].

January 2025.

BASE CODE OPTIONS (select one, not all inclusive)	
L5331	Hip disarticulation, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, Sach foot
L5341	Hemipelvectomy, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, Sach foot
7E9 HIP JOINT	
L5999[2]	Ottobock 7E9 Hip Joint, Monocentric, Hydraulic Swing and Stance Phase Control, Independently and Individually Adjustable Flexion and Extension Resistance.
KNEE OPTIONS (select one)	
Kenevo	PDAC Verified
L5828	Fluid swing and stance phase control
L5845	Stance flexion feature, adjustable
L5848	Fluid stance extension, dampening feature, with or without adjustability
L5850	Knee extension assist
L5856	Microprocessor control feature, swing and stance phase, includes sensors
L5925	Above knee manual lock
C-Leg	PDAC Verified
L5828	Fluid swing and stance phase control
L5845	Stance flexion feature, adjustable
L5848	Fluid stance extension, dampening feature, with or without adjustability
L5850	Knee extension assist
L5856	Microprocessor control feature, swing and stance phase, includes sensors
L5925	Above knee manual lock
Genium	
L5999[2]	Addition to lower extremity endoskeletal system, Ottobock 3B1-3 Genium adaptive microprocessor-controlled swing and stance phase knee, with stance flexion; stance extension damping; simulated-physiologic rule sets, predicted by multi-modal proprioceptive input; loading flexed knee to traverse obstacles and stairs; dynamic stability control for all transitional gait (i.e. safe multidirectional movement in confined spaces, stance release on ramps, transition to running, weight compensation for stance release); inertial motion control unit feature for intuitive standing and backwards walking, IP 67 weatherproof, 5 additional programmable modes.
3R60	PDAC Verified as L5814 + L5848
L5814	Polycentric, hydraulic swing phase control, mechanical stance phase lock
L5845	Stance flexion feature, adjustable
L5848	Fluid stance extension, dampening feature, with or without adjustability
3R106	
L5840	4-Bar Linkage or multiaxial, pneumatic swing phase control
L5850	Knee extension assist

SOCKET ADDITIONS (if used)

L5626	Test [check] socket, hip disarticulation
L5628	Test [check] socket, hemipelvectomy
L5643	Addition to lower extremity, hip disarticulation, flexible inner socket, external frame
L5920	Above knee or hip disarticulation, alignable system
L5960	Addition, hip disarticulation, ultra-light material (titanium, carbon fiber, or equal)
L5702	Replacement socket, hip disarticulation, including hip joint, molded to patient model

FOOT OPTIONS (select one)

1C30 Trias	L5981 L5986	Flex-walk system Multiaxial rotation unit
1C50 Taleo	L5981	Flex-walk system PDAC Verified
1C51 Taleo Vertical Shock	L5987 L5986	Shank foot system with vertical loading pylon Multiaxial Rotation unit PDAC Verified
1C53 Taleo LP	L5981	Flex-walk system
1C60 Triton	L5981	Flex-walk system PDAC Verified
1C61 Triton Vertical Shock	L5987 L5986	Shank foot system with vertical loading pylon Multiaxial Rotation unit PDAC Verified
1C70 Evanto	L5981 L5986	Flex-walk system Multiaxial rotation unit
1D35 Dynamic Motion	L5979	Multiaxial ankle, dynamic response foot
1E56 Axtion	L5981	Flex-walk system
F21 Maverick Xtreme AT	L5981	Flex-walk system
F22 Maverick Comfort AT	L5981 L5986	Flex-walk system Multiaxial rotation unit
F23 Maverick VS	L5987 L5986	Shank foot system with vertical loading pylon Multiaxial Rotation unit PDAC Verified

LINERS, SHUTTLE LOCKS, SOCKS OPTIONS (not all inclusive)

PREFABRICATED LINERS WITH DISTAL CONNECTION

6Y80 Skeo 6Y85 Skeo Skinguard TF 6Y88 Skeo 3D Skinguard TF	L5673	Custom/Prefabricated socket insert, silicone gel, elastomeric or equal, for use with lock.

PREFABRICATED LINERS WITHOUT DISTAL CONNECTION		
6Y81 ProSeal (uncovered) 6Y110 Skeo Sealing Liner 6Y111 Skeo 3D Sealing Liner 6Y112 Skeo Sealing TT Liner 6Y520 Uneo (uniform) 6Y522 Uneo (tapered, uncovered) 6Y523 Uneo (tapered, covered)	L5679	Custom/Prefabricated socket insert, silicone gel, elastomeric or equal, not for use with lock.
CUSTOM LINERS		
Uneo Unique Urethane Liners 6Y416 ShapePlus (initial) 6Y417 ShapePlus (replacement) 6Y430 AK Standard (initial) 6Y432 AK Standard (replacement)	L5681 L5683	For Initial Liner use: Custom socket insert, for congenital/atypical traumatic amputee, silicone gel, elastomeric or equal, for use with/without lock. OR For Replacement Liner (same mold) use: Custom socket insert, not for congenital/atypical traumatic amputee, silicone gel, elastomeric or equal, for use with/without lock.
Skeo Unique Silicone Liners 6Y716 ShapePlus (initial) 6Y717 ShapePlus (replacement) 6Y730 AK Standard (initial) 6Y732 AK Standard (replacement)	L5681 L5683	For Initial Liner use: Custom socket insert, for congenital/atypical traumatic amputee, silicone gel, elastomeric or equal, for use with/without lock. OR For Replacement Liner (same mold) use: Custom socket insert, not for congenital/atypical traumatic amputee, silicone gel, elastomeric or equal, for use with/without lock.
SHUTTLE LOCKS		
6A20=10, =20 Shuttle Lock 6A30=10, =20 Shuttle Lock 6A40 MagnoFlex Shuttle Lock 4R160=1, =2 KISS Lanyard System	L5671	Suspension Lock (shuttle, lanyard, or equal)
SOCKS		
453D4, D5, D7 Derma Seal	L8417	Sheath/Sock, including Gel cushion layer.
451F4=20 TF Residual Limb Sock-Nylon	L8410	Sheath, above knee
451F6=20 TF Residual Limb Sock-Cotton	L8430	Sock, multiple ply
PROTECTIVE COVERING (if used)		
3S26=L44 Cosmetic Foam Cover	L5705	Custom shaped protective cover, above knee
3S27 Flexible Foam Cover	L5707	Custom shaped protective cover, hip disarticulation
99B116 Soft Touch Stocking	L5964	Above knee, flexible, protective outer surface covering
4X860 + 4P863=* C-Leg Protective Cover + Shield	L5999[2]	Ottobock 4X860=* C-Leg Protective Cover + Shield
4P862 + 4P863=* C-Leg Guard + Shield	L5999[2]	Ottobock 4P862 C-Leg Guard Protective Cover + Shield

ROTATION ADAPTOR (if used)		
4R57, 4R57=ST Rotation Adaptor	L5926	Above knee, hip disarticulation, positional rotation unit, any type *Contact Ottobock Reimbursement if your payer does not have this code.*
4R40 Torsion Adapter	L5984	Axial rotation unit, with or without adjustability (K2 or above for Medicare)

[1] The product/device "Supplier" (defined as an O&P practitioner, O&P patient care facility, or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for services/products delivered. It is also recommended that Supplier's contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides do not replace the Supplier's judgment. These recommendations may be subject to revision based on additional information or alpha-numeric system changes.

[2] At this time, it is not recommended to bill miscellaneous code L5999 to Medicare for microprocessor knees.

Contact Information

Ottobock North America, Reimbursement
P 800 328 4058 F 800 230 3962
https://www.shop.ottobock.us
reimbursement911@ottobock.com

©2025 Otto Bock HealthCare LP 011725